


*Girls Mock Cable Jumper*  
from  
*Stitch Needlecraft and Home Feature*  
*Magazine, Vol. 6, No. 4, January 1954*



## GIRL'S SHORT SLEEVED JUMPER.

8 to 10 years.

**MATERIALS:** 5 ozs 2 ply "MILADI" Hand Knitting Wool. 1 pair each Nos. 13 and 11 "PARAGON" Knitting Needles. 3 small buttons for shoulder opening. 1 crochet hook.

**MEASUREMENTS:** Chest 27 to 28 ins. Length from shoulder to lower edge 16 ins. Sleeve seam 4 ins.

**TENSION:** 8 sts and 10 rows to 1 inch.

**ABBREVIATIONS:** K, knit; p, purl; sts, stitches; inc, increase; dec, decrease; ins, inches; rep, repeat; patt, pattern; stst, stocking stitch; (right side rows k, wrong side rows p), rem, remains(ing); cont, continue; beg, beginning; tog, together.

**THE FRONT:** Using No. 13 needles, cast on 97 sts and work as follows:—

**1st row:** P 2, \* k 3, p 3; rep from \* until 5 sts rem, k 3, p 2.

**2nd row:** K 2, \* p 3, k 3; rep from \* until 5 sts rem, p 3, k 2.

**3rd row:** P 2, \* "Mock Cable" thus: k into the 3rd st on left hand needle, then k into the 1st and 2nd sts and slip the sts off the needle together, p 3; rep from \* until 5 sts rem, "Mock Cable," p 2.

**4th row:** As the 2nd row.

These 4 rows form the welt patt. Rep them from the 1st to the 4th row inclusive 8 times more, then rep the 1st and 2nd rows once more. Now inc in the next row thus:—

**Next row:** Inc in the 1st st, k 8, \* k twice into the next st, k 10; rep from \* until 10 sts rem, k twice into the next st, k until 1 st rem, inc in the last st. (107 sts).

**Next row:** P.

Change to No. 11 needles and cont in stst (next row k), inc 1 st at both ends of every following 4th row until there are 115 sts on the needle, then cont without further shaping until 78 rows have been worked on the No. 11 needles, ending with a p row.

**SHAPE ARMHOLES:** Cast off 4 sts at the beg of the next 4 rows (99 sts). Dec 1 st at both ends of every row until 83 sts rem, ending with a p row.

**SHAPE THE YOKE:** Next row: K 31, k the next 21 sts and slip these 21 sts on to a safety pin until required, k 31.

Cont on the last 31 sts, casting off 3 sts at neck edge at the beg of the next 3 k rows (22 sts). Now dec 1 st at neck edge at the beg of every k row until 4 sts rem. Cast off.

Rejoin wool to the rem 31 sts and work to correspond with side already completed, reversing the shapings.

Now with rsf, and using No. 13 needles commence at the shoulder edge of the yoke and pick up and k

61 sts to the sts on the safety pin, work these sts on to the needle, then pick up and k 62 sts to opposite shoulder. (144 sts).

**1st row:** K 4, \* p 3, k 4; rep from \* to end.

**2nd row:** P 4, \* k 3, p 4; rep from \* to end.

**3rd row:** As the 1st row.

**4th row:** P 4, \* "Mock Cable," p 4; rep from \* to end.

**5th row:** As the 1st row.

**6th row:** P 4, \* k 3, p 2 tog, p 2; rep from \* until 7 sts rem, k 3, p 4. (125 sts).

**7th row:** K 4, \* p 3, k 3; rep from \* until 7 sts rem, p 3, k 4.

**8th row:** P 4, \* "Mock Cable," p 3; rep from \* until 7 sts rem, "Mock Cable," p 4.

**9th row:** As the 7th row.

**10th row:** P 4, \* k 3, p 3; rep from \* until 7 sts rem, k 3, p 4.

**11th row:** As the 7th row.

**12th row:** As the 8th row.

**13th row:** As the 7th row.

Rep the last 4 rows once more.

**18th row:** P 2 tog, p 2, \* k 3, p 2 tog, p 1; rep from \* until 1 st rem, p 1. (104 sts).

**19th row:** K 3, \* p 3, k 2; rep from \* until 1 st rem, k 1.

**20th row:** P 3, \* "Mock Cable," p 2; rep from \* until 1 st rem, p 1.

**21st row:** As the 19th row.

**22nd row:** P 3, \* k 3, p 2; rep from \* until 1 st rem, p 1.

**23rd row:** As the 19th row.

**24th row:** As the 20th row.

**25th row:** As the 19th row.

**26th row:** P 3, \* k 3, p 2 tog; rep from \* until 6 sts rem, k 3, p 3. (85 sts).

**27th row:** K 3, \* p 3, k 1; rep from \* until 6 sts rem, p 3, k 3.

**28th row:** P 3, \* "Mock Cable," p 1; rep from \* until 2 sts rem, p 2.

**29th row:** As the 27th row.

**30th row:** P 3, \* k 3, p 1; rep from \* until 2 sts rem, p 2.

**31st row:** As the 27th row.

**32nd row:** As the 28th row.

**33rd row:** As the 27th row.

**34th row:** P 3, \* k 2 tog, k 1, p 1; rep from \* until 2 sts rem, p 2. (65 sts).

**35th row:** \* K 1, p 1; rep from \* until 1 st rem, k 1.

**36th row:** \* P 1, k 1; rep from \* until 1 st rem, p 1.

Rep the last 2 rows twice more, then work the 35th row once more. Cast off in rib.

**THE BACK:** Work as for the front until the 33rd row of the yoke is complete.

**34th row:** P 3, (k 3, p 1) 16 times, turn.

**35th row:** K 1, (p 3, k 1) 12 times, turn.

**36th row:** P 1, ("Mock Cable," p 1) 9 times, turn.

**37th row:** K 1, (p 3, k 1) 6 times, turn.

**38th row:** (P 1, k 3) 6 times, (p 1, "Mock Cable") 3 times, (p 1, k 3) 4 times, p 3.

**39th row:** K 3, \* p 3, k 1; rep from \* until 6 sts rem, p 3, k 3.

**40th row:** P 3, \* k 2 tog, k 1, p 1; rep from \* until 2 sts rem, p 2. (65 sts).  
Now complete the neck ribbing as for the front. Cast off in rib.

**SLEEVES:** Using No. 13 needles cast on 73 sts and work in the welt patt as for the front until the patt has been repeated 6 times in all, then work the 1st and 2nd rows once more.

**Next row:** Inc in the 1st st, k 4, \* k twice into the next st, k 6; rep from \* until 5 sts rem, k twice into the next st, k until 1 st rem, inc in the last st (85 sts).

**Next row:** P.

Change to No. 11 needles and cont in stst (next row k) until 24 rows have been worked on the No. 11 needles.

**SHAPE TOP:** Cast off 4 sts at the beg of the next 4 rows. Dec 1 st at both ends of every k row until 47 sts rem, then dec 1 st at both ends of every row until 11 sts rem. Cast off.

**TO MAKE UP:** Press work with a warm iron over a damp cloth omitting ribbing. Join side and sleeve seams. Join the right shoulder seam, and join the left shoulder seam for about 1 inch at the outer edge. Work 1 row of double crochet round the left shoulder opening, making 3 loops for buttons at the front edge. Sew in sleeves. Press seams. Sew on buttons to correspond with button loops.